maxkin

4F, Building 1, No. 3 West Area, Shangxue Technology Park, Xinxue Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China sales@maxkin.com Tel: (86-755) 8369 0573 www.maxkin.com

Designed by Maxkin Mobile Technology Co., Ltd. © 2023 Maxkin All Right Reserved



maxkin



YOUR HOME SIMPLIFIED Simple Smart Safe

A truly smart home needs to be more than just connected. It's the guiding principle behind our work, and reinforces our belief that the best technology makes you smarter, puts you in control, and gives you access to the information you need. That's why we're dedicated to developing the easy-to-use All-in-one interface expanded to work with home security systems, home automation devices, delivering on a truly seamless connected experience for homeowners and community management.

Maxkin, as an innovative developer and professional manufacture of electronic security alarm systems is committed to bring you peace of mind for both person, home and commercial applications. Maxkin offers video & intrusion systems and solutions ranging from Smart Home Security System. security cameras, security sensors, and smart home devices in technology of Wi-Fi, 4G, 2G, GSM, and FHSS 433MHz.

| IT | (IT | |
|-----------------------|-----|--|
| $\setminus \mid \mid$ | | |
| | | |

Maxkin is home

| Security Workstation - CMS | | |
|---------------------------------|---------|--|
| Mobile App | 07 - 08 | |
| FHSS Technology | | |
| PRODUCTS | | |
| | | |
| Alarm System T1 | 11 | |
| Alarm System X1 | 12 | |
| Alarm System Conch | 13 | |
| Alarm System Tutii | 14 | |
| Smart Plug | 15 | |
| 2in1 Smart Sensor | 16 | |
| Outdoor Strobe Siren | 17 | |
| Alarm Accessories | 18 | |
| Hardwired to Wireless Converter | 19 - 20 | |
| Smart Scene | 21 - 22 | |
| Video Doorbell | 23 - 24 | |
| Cam Family | 25 - 26 | |
| SPECIFICATIONS | | |
| Alarm System | 27 | |
| Security Cam | 28 | |
| | | |


01





Security Monitoring Center

Integrated alarm and video monitoring, intelligent shunting of inspection pressure, synchronization of alarm information and strategy in the cloud, collaboration between Web and App




Efficient policing: reduced response time


- Contact the police uniform platform in time to get police quickly



- Process in time and record the handling result



- User defence and withdraw defence status, device offline, low battery exception view







Open platform to interface with multiple police alarming services, covering a wide range of areas


- Open platform to interface with police alarming service providers in different countries and regions
- Oustomer independent and flexible choice


Control

all your devices in one app

Maxkin Smart Home


Maxkin Smart Security App is a smart home & security management app for you to control andmanage your intelligent home products easier and to live smarter.





Get alert watch and take action

View event activity



Reliable Technology-FHSS Hopping Frequency

The two-way Frequency Hopping Spread Spectrum FHSS technology provides marke leading wireless robustness and reliability


128 bit AES Anti-Interference Frequency Technology

Multichannel, Frequency Hopping Spread Spectrum technology enables the system to hop between wireless frequency channels to ensure the seamless transmission of secure communications between devices and the control panel and data transmission and ensuring that devices are able to consistently communicate when needed. 128 bit AES encryption offers exceptionally high level of protection against analysis tools and digital attacks. Other powerful features include protection against lost alarm messages, interference and frequency blocking.

Protection against

- Lost alarm messages
- Interference between remote controls
- Interference between devices



















WiFi/2G/4G Advanced Communication

The system alerts you to alarms via APP notification, SMS, and calls. Any time your Alarm Panel loses its connection to the internet, its cellular backup system kicks in that will allow the system to continue to monitor your home.

Scene & Schedules

Set scenes and schedules for ambience and security with other smart home device. It saves energy and enhances your life style.

Two-way Talk

2-Way Voice enables the family member and dispatcher to quickly confirm the false alarm.

Customizable Zone Names

Zone names can be customized accordingly. The locations can be easily recognized.

24/7 Monitoring

The system is configured with Contact ID and SIA Protocol. It can report to any Central Station worldwide, via dial up (CONTCT ID) or IP (SIA protocol).



4G/2G Sim Card



Entry/ Exit Delay



Immediate SMS Alerts for Low Battery



Added on up to 50pcs Sensors



24 Hours Protection




Remote Control Arming/Disarming



6 Hours Battery Back-up



FHSS Frequency -Hopping Spread Spectrum





















Plug & Play UK Plug EU Plug US Plug AU Plug









One size doesn't fit all.

Conch/Tutti meets your home security needs in style. Rent a small studio? Your ideal alarm system secures your home with only a few sensors.

Get notifications

Set alarm modes, sync all your smart devices to the app and monitor them from one simple dashboard.

DIY Installation

No complicated wire at all. Wireless technology is a friendly way to help homeowners to create a simple and connected home

Crash & Smash Protection

The alarm works even if an intruder smashes its keypad, or if it loses power. Its wire free connection and power backups sends alerts in seconds.







Entry/ Exit Delay



90dB Siren 300S Duration



2 Hours Battery Back**-**up



40 Customizable Zone Names



Door Open / Close Monitoring



Scheduling Features




Remote Arm & Disarm

14



SP-S01 PLUS FHSS Smart Plug:

Indoor Siren & Status Indicator




Synchronous alarm, more peaceful.

When alarm occurs, the siren will sound at the same time with the control panel. You will never need to worry about missing the alarm.


SP-R01 PLUS FHSS Smart Plug: RF Repeater & Indoor Siren

Boost Your RF Range Coverage, **More Attentive**



Keep your home extra secure

When an alarm is activated, the Repeater immediately triggers a powerful 90dB alarm to scare away the burglar.





Range extender & synchronous Status

By using a wireless repeater, you can effectively extend the range of your system up to 300 meters.

When the system is armed or disarmed, the repeater LED indicator flashes.

2in1 Smart Sensor

Specially designed for request-to-exit applications, combined with a PIR motion detecor & door/window sensor. It detects whether the window, door, gate or roller blind is opened or not, with low false alarm rate.










Door & PIR Motion Sensor SS-P01



Door & Vibration Sensor SS-V01



Water Leakage Detector SS-F01




Anti-White Light & Jamming





Low Battery Indication



Battery Repalcement









Alarm Accessories



Detects Open/Close



Magnetic Door/ Window Sensor DWS-300



Magnetic Door/ Window Sensor DWS-303



Iron Door / Window Sensor DWS-301



Door Sensor DWS-302

Detects Motion



Motion Detector PIR-600



Pet-immunity Triple Detector PIR-603



Outdoor Triple Intruder Detector PIR-602



PIR Motion & Door Sensor SS-P01

Envimental Detection



Gas Detector GD-801 PLUS



Water Leak Detector SP-F01



Smoke Detector SD-201



Smoke Detector SD-202

Premiere Protection



Outdoor Dual-Beam Photoelectric Detector IB-430



Dual-Beam IR Sensors (100 Meters) IB-400



Solar-powered Multi-beam IB-420



Quad-beam IR Fences IB-410

Wi-Fi or RF

WS-901/902

Outdoor Strobe Siren

Robust Weatherproof Housing. The siren can be installed anywhere outdoors (or even indoors, for those requiring a louder siren) fast and easy.

Alarm with Big Sound & Strong light

It will annouce unwanted entrance to property and premises with 120dB Piezo Siren. The accompanying strobe light also provides a visual warning and deterrent upon activation.

Tamper Protection

The siren is equipped with a tamper switch that triggers the alarm if someone tries to remove the siren from the wall. You will instantly get a



Tamper

Wi-Fi

High powered siren & flashing strobe lens

power supply.



Easy for

installation

& DC ensures uninterrupted

notification from your phone.



Wired to Wireless Upgrade & Expansion Module

Convert traditional wired alarm system upgrades into Maxkin smart alarm system with complete protection for your family, and makes your life a whole lots easier and smarter.

Our Wired to Wireless Upgrade & Expansion smart converter leverages industry-leading FHSS wireless technology capabilities, featuring superior encryption and long range. A dedicate quick, easy, and a professional-grade security to enhance old security systems.

Key Differentiating Features:


- Industry-leading Maxkin FHSS wireless technology.
- Connect siren, strobe, and full range of applications.
- Enhanced security is enabled by the double end offline programming and the integrated power supply supervision.
- \bullet 24/7 back up battery is safety stored inside the iron box.
- Use your favourite hardware device from any hardwired portfolio and incorporated it into Maxkin's ecosystem.
- Compatible with X1 & T1.
- FHSS wireless technology:

 128-bit AES encryption superior, military-grade encryption quality

 Two-way communication enhanced communication reliability & resistance to jamming

 Long range wireless communication -4x range vs. traditional wireless

 Easy to install & enroll




Versatile Smart Home Technology

The rise of smart home security technology invented with new and advanced features and functions. The converter box combined the designated connect-sense from classic wired alarm system to wireless. It controls and combines all smart home devices into a single smart home system in one place.

Easy Maintenance

LED light wired connectivity to integrate that will assist and sort out the little jobs for installer. Each zone features its own LED light to assist with the enrollment. This is extremely easy to fix, maintain and care.



PIR Motion Detector Wireless Zone 1 Normal Door Sensor Wireless Zone 3 Normal Zone Status-ON

Intelligent Bypassing Alarm

Maxkin Home app to allows you to deactivate zone without triggering your alarms, while the rest of the sensor are still activated. This bypassing system remains your home protected.

Provides high level of Security

A sense of security is the most valuable thing we can provide for ourselves and family members. When our home is safe. We can enjoy the time spent with our family, develop our passions and relax.

Controls lighting

Lighting is an essential part of the house. Smart home lighting automation creates most natural ambient for your house; includes energy saving, ability control remotely to suit family activity.

One-click home security

With one simple click of a button you can now arm your alarm system to protect your home, especially when you hurry to leave.



Always in control

Login authorised guests with a unique PIN code while you're away e.g. gardener.



Light right where you are

Automated smart lighting with motion detector; conveniently sensing your movement and remotely control your lights where ever you need it, or want it.



Turn off the lights with a single click

Intelligent automated smart lighting allow you quickly switching the light on & off, scene setting and customisable color change with a simple push of a button.



control gates and roller shutters

Collaborating with automated gates and shutters to protect your home from potential threat and your privacy.

and home appliances

Smart home audio devices automation, conveniently positioned your home entertainment around the house. Makes your life a whole lots easier, and perfectly bonding with family.

Day that welomes you

Wake up without an alarm is possible thanks to the roller blinds, which automatically open at a set time.





Home ready for anything

Maxkin system opens the entrance gate and garage door as you approach the property and closes it right after you park the car.



Perfect show

Embracing good mood with sensational viewing either from you favourite movie playlist or radio show. Thanks to a dedicated Al assistant, by using voice recognition interface.



Voice RGBW Controller assistant

Parental control

With smart home security app, it sufficiently helping parents remotely monitor or control to keep their kids safety and productivity, from family PC or the devices that the kid is using.





maxkin

Your new Video Doorbell is the start of a Security around your entire property. Now, you'll always be connected to your home, so you can watch over your property and answer the door from anywhere. See who's at your door, prevent crime and protect your home - all from your phone, tablet or PC.

Answer the Door From Anywhere

Get instant alerts when visitors press your Doorbell or trigger the built-in motion sensors. Then use the free Maxkin app to see, hear and speak to guests from your smartphone, tablet or PC.

- Motion-activated alerts
- Crystal-clear 1080P HD video
- Two-way talk with noise cancellation



Night Vision





24/7 Streaming 160° Field Of View



HDR













Quiet Time

maxkin

Video





Good insight starts with incredible sight. This Cam can detect a person up to 50 feet away, then alert you with a photo of who's there.

Answer the Door From Anywhere.

Get instant alerts when visitors press your Doorbell or trigger the built-in motion sensors. Then use the free Ontips app to see, hear and speak to guests from your smartphone, tablet or PC.

• Motion-activated alerts

Insight for outside.

- Crystal-clear 720HD video
- Two-way talk with noise cancellation







Night Vision 1080P HD



Streaming

160° Field Of View



Quiet Time

Person Alerts Always On Wi-Fi Connection

23



maxkin

Jam family.







Spotlight Cam

Outdoor cameras with lights surround your home with smart security and stop crime before it happens. Armed with built-in lights and security sirens.

Smart security at every angle.

Let it stand on any flat surface and move it when you need to, or stick the cam anywhere with its adjustable mounting bracket. You'll have all the tools you need to setup your versatile, wireless video camera in nearly any setting in minutes.

Vision so visionary we call it Supersight.

What do you get when you combine a 1080P sensor with HDR and intelligent imaging? Supersight. It's 1080P HD with superpowers.

Your video stay safe in the cloud.

We encrypt our connections. Keep data safe and private. And we work hard to protect your information.



AES 128-bit Encryption

24/7 Live Video



Alerts on Your Phone



Motion and Sound Alerts







3MP Full HD



Night Vision





Indoor Cam

Smaller than you think, just about the size of an apple! Built on Cloud® platform to deliver a brilliant user experience



Battery Cam

Add security anywhere, inside or out, with the versatile Camera Battery. Its wire-free design means you can put it where you need it and move it when you need to.



Good insight starts with incredible sight. The Outdoor Cam can detect a person up to 50 feet away, then alert you with a photo of who's there.





Keep your home extra secure

The smart outdoor camera works with the alarm system throughout motion detection sensing if some one is in the property.

maxkin° Alarm System

| Model | T1 | X1 | Conch | Tutti | |
|---|--|---|--|--------------------------|--|
| | | | | | |
| | | SPECIFICATI | O N | | |
| Network | Wi-F | i/GSM | Wi-Fi | | |
| Control Panel Power Supply | Input : AC 110~240V/50~60Hz Output : DC 12V/1000mA | | Input : Input : AC 110~240V/50~60Hz AC 110~240V/50~60Hz Output : DC 5V/1000m. | | |
| GSM Network Frequency | | | N/A | | |
| Standby | 200mA without power supply 150mA with power supply | | 50mA | 150mA | |
| Alarm Current Capacity | ≥ 350mA | | ≥ 350mA | | |
| Battery Standby | Lithium: 3.7V/ 900mAH | | Lithium: 3.7V/ 600mAH | Lithium: 3.7V/ 900mAH | |
| Siren | 90dB | | 90dB | | |
| Operating Frequency | 2.400 ~ 2.4835GHz | | 2.400 ~ 2.4835GHz | | |
| Allowed Amount of Expandable Wireless Accessories | 10pcs remote controls 50pcs wireless accessories 50pcs RFID card | 10pcs remote controls 50pcs wireless accessories | 10pcs remote controls 40pcs wireless accessories | | |
| Wireless Accessories | 802.11b/g/n | | 802.11b/g/n | | |
| Frequency Connectivity | FHSS 433MHz | | FHSS 433MHz | | |
| Housing Material | ABS plastic | | ABS plastic | | |
| Temperature | -20°C ~ 55°C | | -20°C ~ 55°C | | |
| Humidity | ≤ 80% (non-condensing) | | ≤ 80% (non-condensing) | | |
| Size (L x W x H) mm | 135 x 135 x 25 | 180 x 126 x 26 | 80 x 41.7 | 90 x 25 | |

maxkin[°] Security Cam

| Product | Video Door Bell | Sport Light Cam | Battery Cam | Outdoor Ip Camera | Indoor Pan/tilt Camera Sensor | | | | |
|---------------------------|---|-----------------------------------|---|------------------------------------|------------------------------------|--|--|--|--|
| | 70 | 000 | | | | | | | |
| | SPECIFICATION | | | | | | | | |
| Image Sensor | 1/3 COMS | 1/2.7" CMOS | 1/3" CMOS sensor | 1/3" CMOS | 1/3" CMOS | | | | |
| Display Resolution | 1080P (1920*1080) | 1080P (1920*1080) | 1080P (1920*1080) | 1080P (1920*1080) | 1080P (1920*1080) | | | | |
| Mini. Illumination | 0 Lux (with infrared led on) | 0.02Lux (with infrared led on) | 0.01 Lux (with infrared led on) | 0.01 Lux (with infrared led on) | 0.01 Lux (with infrared led on) | | | | |
| Lens Type | FHD Lens | FHD Lens | FHD Lens | FHD Lens | FHD Lens | | | | |
| Viewing Angel | 119° (D)/ 63°(H) | 355° (D)/ 110°(H) | 120° | 90° | 80° Pan/Tilt: 355°/ 110° | | | | |
| Focal Length | 2.7mm | 2.7mm | 3.6 mm | 3.6 mm | 3.6 mm | | | | |
| LED | 6pcs infrared LED | 8pcs IR LED | 2pcs IR LED | 12 pcs IR LED | 10 pcs IR LED | | | | |
| Lents | 10mm | 6mm | 2.8mm | 10mm | 10mm | | | | |
| D&N | Auto change with IR-CUT | Auto change with IR-CUT | Auto change with IR-CUT | Auto change with IR-CUT | Auto change with IR-CUT | | | | |
| Image Compression | H.264 | H.264 | H.264 | H . 264 | H.264 | | | | |
| Image Frame Rate | 1-25fps (1080p) | 1-15fps (1080p) | 1-15fps (1080p) | 1-15fps (1080p) | 1-15fps (1080p) | | | | |
| Digital noise reduction | 3D digital noise reduction | 3D digital noise reduction | 3D digital noise reduction | 3D digital noise reduction | 3D digital noise reduction | | | | |
| DWDR | DWDR | DWDR | DWDR | DWDR | DWDR | | | | |
| Input/ output | Built-in Mic and loud speaker | Built-in Mic and loud speaker | Built-in Mic and loud speaker | Built-in Mic and loud speaker | Built-in Mic and loud speaker | | | | |
| Audio Compression | PCM | PCM | PCM | PCM | PCM | | | | |
| WIFI | 802.11B/g/n | 802.11B/g/n | 802.11B/g/n | 802.11B/g/n | 802.11B/g/n | | | | |
| Wireless Security | WEP, WPA, WPA2 | WEP, WPA, WPA2 | WEP, WPA, WPA2 | WEP, WPA, WPA2 | WEP, WPA, WPA2 | | | | |
| Remote Access | P2P | P2P | P2P | P2P | P2P | | | | |
| WiFi Configuration | SmartConfig | SmartConfig | SmartConfig | SmartConfig | SmartConfig | | | | |
| Others | QR code | QR code | QR code | QR code | QR code | | | | |
| Indicator | Blue, Red | Blue, Red | Blue, Red | Blue, Red | Blue, Red | | | | |
| Siren/ Motion Detector | Motion detection | PIR Motion detection | PIR Motion detection 8m | PIR Motion detection10m (32ft) | Motion/Sound detection | | | | |
| Power | Working 170mA, standby 160µA | Built-in <30W DC 12V | DC 5V/1A | DC 5V/1A | DC 5V/1A | | | | |
| Micro SD Card (TF card) | Up to 128GB | Up to 128GB | Up to 128GB | Up to 128GB | Up to 128GB | | | | |
| Cloud | YES | YES | YES | YES | YES | | | | |
| Working Temperature | -20°C ~ 55°C | -20°C ~ 80°C | -20°C ~ 50°C | -20°C ~ 50°C | -20°C ~ 50°C | | | | |
| Working Humidity | ≤ 80% non-condensing | 10% ~ 95%; non-condensing | ≤ 80% non-condensing | ≤ 80% non-condensing | ≤ 80% non-condensing | | | | |
| Storage Temperature | -20°C ~ 60°C | -20°C ~ 60°C | -20°C ~ 60°C | -20°C ~ 50°C | -20°C ~ 50°C | | | | |
| Storage Humidity | 20% ~ 85%; non-condensing | 20% ~ 85%; non-condensing | 20% ~ 85%; non-condensing | 20% ~ 85%; non-condensing | 20% ~ 85%; non-condensing | | | | |
| Battery | 3.7 V, Built in 18650 battery, Rechargeable or (14V~24V AC charging) | N/A | 5200mAh rechargeable Li batteries | N/A | N/A | | | | |
| Base bracket | Standard base bracket | Standard base bracket | Standard base bracket | Standard base bracket | Standard base bracket | | | | |
| Size (L x W x H) mm | 25 x 57 x 13 | 305 x 200 x 220 | 130 x77x68 | Ф79×132 | Ф 70 х 132 | | | | |
| Weight (g) | 500 | 1076 | 385.20 | 151.90 | 133.4 | | | | |